
How to Enable Your Audi Rear Speakers Sound


XTRONS has provided large varieties of Audi custom fit head units for Audi car owners. If you are an Audi car owner, and you are interested in upgrading your original Audi entertainment system, you can take a look at XTRONS Audi custom fit head unit series here:

http://xtrons.co.uk/head-units/custom-special-car/car-make-a-k/audi.html

Most of the Audi cars have premium sound systems; XTRONS has made every effort to provide you with endless car infotainment while still not sacrifice your car's original merits.

If your Audi cars have BOSE system, you just have to connect the amplifier control cable in the ISO wiring harness with the amplifier control cable in the RCA cable.






If your vehicle has no BOSE system, but it has the audio port as the picture shows, you need to make some modifications of the wires connection; otherwise, your rear amplified speakers will NOT have sound.



For the wires connection, please refer to the following guides and picture.

There are only two wires in your car's audio port which will control your car's front two speakers, so after connecting these two wires with XTRONS head unit speakers' wires, your car's two rear speakers won't have sound.

To enable the sound in your car's two rear speakers, you need to disconnect the two wires in the below picture, and order an extra speakers' adapter cable to connect the two wires with the two rear speakers of your car.



To enable the sound in your car's two rear speakers, you need to disconnect the two wires in the below picture, and order an extra speakers' adapter cable to connect the two wires with the two rear speakers of your car.

Any other questions about the sound of your Audi cars after installing XTRONS custom fit unit for Audi, please leave message on XTRONS forum or send an email to XTRONS support via techsupport@xtrons.com.